

OD Series OD-50DDXC



Why Choose the OD Series?

The OD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the OD series, you have handpicked the highest value in American construction. The OD-50DDXC includes the standard features you have come to expect with DDB, incorporating the versatile strut system for adjustable racking, the security of a 3-point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique needs our customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.

Application Types

Telecommunications
Wireless/Broadband
Fiber Optics
Back Haul
Small Cell/DAS
Public Safety
Utility
Base Station
Military
Trailer-Based Communications
Wi-Fi
LTEE/4G/5G



Industry Standards:

NEMA 3R as shown
NEMA 4 and 4X configurable (unlisted to environmental rating)
OD Series Listed to UL 50/50E Type 4 Available
ETL listed to UL Standard 60950-1/CSA 22.2C

2301 S. HWY 77 Pauls Valley, OK 73075 T: (800) 753-8459 – F: (877) 220-7236 sales@ddbunlimited.com www.ddbunlimited.com



Features

0.125" Aluminum Construction
Stainless Steel External Hardware/Hinge
3 Point Lock System
Heavy Duty Out-Door Construction
Front and Rear Access
Custom Colors Available
Cream and Red Powder-Coat in Stock
Flexible and Scalable
15 Year Warranty
Quick Shipping

Weight and Dimensions

Approximate Exterior Enclosure Dimensions:

51"H x 28"W x 47"D

Shipping Dimensions:

32"W x 52"L - Palletized

Approximate Shipping Weight:

227 lbs.



OD Series OD-50DDXC





Features

- 1. Solar Shield (Alumishield)
- 2. Front and Rear 19" Adjustable Racking Rails
- 3. Rear Access Door
- 4. Stainless Steel Door Hinge
- 5. 3 Point Locking System
- 6. Powder-Coat Cream
- 7. Reusable Vent Filters

2301 S. HWY 77 Pauls Valley, OK 73075 T: (800) 753-8459 – F: (877) 220-7236

sales@ddbunlimited.com www.ddbunlimited.com





