

OD Series OD-50DXC



Why Choose the OD Series?

The OD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the OD series, you have handpicked the highest value in American construction. The OD-50DXC includes the standard features you have come to expect with DDB, incorporating the versatile strut system for adjustable racking, the security of a 3-point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique needs our customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.



Industry Standards:

NEMA 3R as shown NEMA 4 and 4X configurable (unlisted to environmental rating) **OD Series Listed to UL 50/50E Type 4 Available** ETL listed to UL Standard 60950-1/CSA 22.2C

> 2301 S. HWY 77 Pauls Valley, OK 73075 T: (800) 753-8459 – F: (877) 220-7236 sales@ddbunlimited.com www.ddbunlimited.com



Features

0.125" Aluminum Construction Stainless Steel External Hardware/Hinge 3 Point Lock System Heavy Duty Out-Door Construction Front and Rear Access Custom Colors Available Cream and Red Powder-Coat in Stock Flexible and Scalable 15 Year Warranty Quick Shipping

Weight and Dimensions

Approximate Exterior Enclosure Dimensions: 51"H x 28"W x 30"D Shipping Dimensions: 32"W x 42"L - Palletized Approximate Shipping Weight: 160lbs.

Application Types

Telecommunications Wireless/Broadband Fiber Optics Back Haul Small Cell/DAS Public Safety Utility Base Station Military Trailer-Based Communications Wi-Fi LTEE/4G/5G



OD Series **OD-50DXC**





3 Point Locking System 5.

Rear Access Door

Powder-Coat Cream 6.

1.

2.

3.

4.

Reusable Vent Filters 7.

2301 S. HWY 77 Pauls Valley, OK 73075 T: (800) 753-8459 - F: (877) 220-7236 sales@ddbunlimited.com www.ddbunlimited.com





