



An ISO 9001  
Certified company

# OD Series POD-16DXC

Made in America



Believing in American  
Craftsmanship



## Why Choose the OD Series?

The OD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the OD series, you have handpicked the highest value in American construction. The POD-16DXC includes the standard features you have come to expect with DDB, incorporating the versatile strut system for adjustable racking, the security of a 3-point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique needs our customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.



## Features

- 0.125" Aluminum Construction
- Stainless Steel External Hardware/Hinge
- 3 Point Lock System
- Heavy Duty Out-Door Construction
- Front and Rear Access
- Custom Colors Available
- Cream and Red Powder-Coat in Stock
- Flexible and Scalable
- 15 Year Warranty
- Quick Shipping

## Application Types

Telecommunications  
Wireless/Broadband  
Fiber Optics  
Back Haul  
Small Cell/DAS  
Public Safety  
Utility  
Base Station  
Military  
Trailer-Based Communications  
Wi-Fi  
LTEE/4G/5G



## Industry Standards:

NEMA 3R as shown  
NEMA 4 and 4X configurable (unlisted to environmental rating)  
**OD Series Listed to UL 50/50E Type 4 Available**  
ETL listed to UL Standard 60950-1/CSA 22.2C

2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236

[sales@ddbunlimited.com](mailto:sales@ddbunlimited.com) [www.ddbunlimited.com](http://www.ddbunlimited.com)

## Weight and Dimensions

Approximate Exterior Enclosure Dimensions:

18"H x 28"W x 30"D

Shipping Dimensions:

32" x 42" - Palletized

Approximate Shipping Weight:

113 lbs.

# OD Series

## POD-16DXC

Made in America



Believing in American  
Craftsmanship



### Features

1. Solar Shield (Alumishield)
2. 19" Adjustable Racking Rails
3. C-Channel Feet
4. Rear Access Door
5. Stainless Steel Door Hinge
6. 3 Point Locking System
7. Powder-Coat Cream
8. Reusable Vent Filters





2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236



[sales@ddbunlimited.com](mailto:sales@ddbunlimited.com) [www.ddbunlimited.com](http://www.ddbunlimited.com)

WEB DRAWING (NOT FOR FABRICATION)


REVISIONS		
REV.	DESCRIPTION	DATE
A	CREATED WEBSITE DRAWING PER DR-02046	6/14/2019



STANDOFFS STANDARD  
FOR OPTIONAL LIGHTING  
OVER EACH DOOR  
FRONT AND REAR



3 POINT LOCKING  
EACH DOOR



WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	DDB Unlimited Inc.			
DIMENSIONS ARE IN INCHES		Model by:	JDH	OD Family Endnotes			
ARTICULAR		Drawn by:	Marcel	OD-MHXS-CP-124 Mounting Feet			
ALL DIMENSIONS ARE IN INCHES		Sales Rep:	John Campbell	SITE	Cage Code:	DWG. NO.:	REV.
ALL DIMENSIONS ARE IN INCHES		Q.A. Appr:	Steve				
ALL DIMENSIONS ARE IN INCHES		Prod. Mgr:	Chris	D	38515	02046	A
MATERIALS: 6061-T6 ALUMINUM		Created by:	JDH	SCALE: 1/8"	WEEK: 80 Ets.	SHEET 1 OF 5	
PAINTS: ANODIZED ALUMINUM		DO NOT SCALE DRAWING					



