



An ISO 9001  
Certified company

# WOD Series

## WOD-62DXC

Made in America



Believing in American  
Craftsmanship



## Why Choose the WOD Series?

The WOD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the WOD series, you have handpicked the highest value in American construction. The WOD-62DXC includes the standard features you have come to expect with DDB, incorporating the versatile strut system for adjustable racking, the security of a 3-point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique needs your customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.

## Application Types

Telecommunications  
Wireless/Broadband  
Fiber Optics  
Back Haul  
Small Cell/DAS  
Public Safety  
Utility  
Base Station  
Military  
Trailer-Based Communications  
Wi-Fi  
LTEE/4G/5G



## Industry Standards:

NEMA 3R as shown

NEMA 4 and 4X configurable (unlisted to environmental rating)

**WOD Series Listed to UL 50/50E Type 4 Available**

ETL listed to UL Standard 60950-1/CSA 22.2C

2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236

[sales@ddbunlimited.com](mailto:sales@ddbunlimited.com) [www.ddbunlimited.com](http://www.ddbunlimited.com)



## Features

0.125" Aluminum Construction  
Stainless Steel External Hardware/Hinge  
3 Point Lock System  
Heavy Duty Out-Door Construction  
Front and Rear Access  
Custom Colors Available  
Cream Powder-Coat in Stock  
Flexible and Scalable  
15 Year Warranty  
Quick Shipping

## Weight and Dimensions

Approximate Exterior Enclosure Dimensions:

63"H x 32"W x 30"D

Shipping Dimensions:

32"W x 42"L - Palletized

Approximate Shipping Weight:

210 lbs.

# WOD Series

## WOD-62DXC

Made in America

Believing in American  
Craftsmanship

### Features

1. Solar Shield (Alumishield)
2. 19" and 23" Reversable Racking Rails
3. Rear Access Door
4. Stainless Steel Door Hinge
5. 3 Point Locking System
6. Powder-Coat Cream
7. Reusable Vent Filters


2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236




[sales@ddbunlimited.com](mailto:sales@ddbunlimited.com) [www.ddbunlimited.com](http://www.ddbunlimited.com)

WEB DRAWING (NOT FOR FABRICATION)

REVISIONS		
REV.	DESCRIPTION	DATE
A	Initial Web Drawing per DR-00134	6/10/2013
B	revise to incorporate new components and new drawing template pdr DR-00930	5/15/2014
C	UPDATED TO 2019 FORMAT	5/1/2019
D	UPDATED DRAWING WITH DOOR RODS WITH ROLLERS PER DR-02271	6/5/2020



STANDOFFS ARE STANDARD FOR OPTIONAL LIGHTING OVER EACH DOOR FRONT AND REAR




3 POINT LOCKING EACH DOOR

DOOR RODS WITH ROLLERS  
STANDARD WINDLOCK EACH DOOR

FILTERED LOUVERS

RIGHT SIDE




WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	DDB Unlimited Inc.			
DIMENSIONS ARE IN INCHES		Model by:	6/08	WOD-NX00X			
PARTICULARS		Drawn by:	6/08	WOD-62H.DX			
FOR FABRICATOR'S USE ONLY		Sales Rep:	Boysen C	6/21/2013			
FOR FABRICATOR'S USE ONLY		Q.A. Appr:	6/25/20	SITE			
FOR FABRICATOR'S USE ONLY		Prod.Mgr:	6/25/20	Cage Code:			
FOR FABRICATOR'S USE ONLY		Checked:	6/25/20	DWG. NO.:			
FOR FABRICATOR'S USE ONLY		Scale:	1:12	00721			
FOR FABRICATOR'S USE ONLY		Weight:	183 lbs	D			
FOR FABRICATOR'S USE ONLY		Material:	6061-T6 ALUMINUM	SCALE: 1:12			
FOR FABRICATOR'S USE ONLY		Finish:	ANODIZED	WEIGHT: 183 lbs			
FOR FABRICATOR'S USE ONLY		Color:	BLACK	SHEET 1 OF 3			

UNCLASSIFIED PUBLIC

File Location: (DDB) (EPDM Vault)  
C:\DDB\drawing requests\customer\dfs web-dwg\wood family\web\dr-00721 (wod-62d web)\

WEB DRAWING (NOT FOR FABRICATION)



TOP VIEW  
CEILING AND ALUMASHIELD NOT SHOWN


WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:		<b>DDB Unlimited Inc.</b>			
DIMENSIONS ARE IN INCHES		DX Closed			
ANGULAR		1" =			
VERTICAL		1" = 10'00"			
HORIZONTAL		1" = 10'00"			
THREE PLACE DECIMAL		1" = 10'00"			
ALL DIMENSIONS TO FACE		1" = 10'00"			
MATERIAL: WOOD: 2X4-8-2004		SIZE	Cage Code:	DWG. NO.:	REV
PAINT: BROWN POLYURETHANE		D	38515	00721	D
DO NOT SCALE DRAWING		SCALE: 1:12		SHEET 2 OF 3	

UNCLASSIFIED PUBLIC  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

File Location: [DDB] (EPDM Vault)  
C:\DDB\drawing requests\customer\ddb web.dwg (web family web\dwg-00721 [web-62dx



**WEB DRAWING (NOT FOR FABRICATION)**



**BACK VIEW  
GASKET NOT SHOWN**

**UNCLASSIFIED PUBLIC**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY  
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

**WEB DRAWING (NOT FOR FABRICATION)**

UNLESS OTHERWISE SPECIFIED:		<b>DDB Unlimited Inc.</b>	
DIMENSIONS ARE IN INCHES		WOD=620X	
ANGLE:AR	1/4" 1/2"		
FACE TO FACE: NO DECIMAL	1/4" 1/2"		
OUTER FACE DECIMAL	1/4" 1/2"		
FACE TO FACE DECIMAL	1/4" 1/2"	WOD, 62", DX	
THIRD FACE DECIMAL	1/4" 1/2"		
ALL BOLTED 			
MATERIAL:  4092H-000000		SIZE	Cage Code
		D	385Y5
			DWG. NO.: 00721
			REV
			D
TOLERANCE: DIMENSIONS ARE IN INCHES		SCALE: 1:12	WEIGHT:
DO NOT SCALE DRAWING		SHEET 3 OF 3	