

SOD Cabinet Base CB24-SOD



Why Choose the CB series for your SOD enclosure?

Does your single outdoor enclosure need a lift? Literally? Do you need a larger footprint for your HVAC unit? Is it dragging on the pad when you open the door? When it comes to pad mounting, working with cabling or power underneath your enclosure, or if you simply need your enclosure to sit on top of the snow drifts instead of under it, look no further than DDB's extensive line of enclosure bases. All enclosure bases can be installed onto your enclosure by our professional in-house technicians guaranteeing a perfect fit every time, with an additional benefit of saving you time and money allowing you to focus on what is important. Contact our professional Sales staff to assist you with your made-to-order solution!



Features

.125" Fully welded construction Welded corner brackets inside Flexible and Scalable 15 Year Warranty Quick Shipping <u>Includes:</u> ½" Mounting Hardware Weight and Dimensions

Approximate Exterior Dimensions: 24"W x 21"D x 20" H Shipping Dimensions: 26 x 27 x 12 Boxed Approximate Shipping Weight: 40 lbs.

Application Types

SOD-102420 SOD-192420 SOD-302420 SOD-372420





2



5

3

Features

1. Front access window

An ISO 9001/27001


Certified company


- 2. Threaded mounting for 1/2" bolts
- 3. Four bottom mounting holes for concrete pad installation
- 4. Powder coat cream, textured; 1000 hours salt fog rated
- 5. Welded corner gussets for added support

Scan this code to visit our online store



2301 S. HWY 77 Pauls Valley, OK 73075 T: (800) 753-8459 – F: (877) 220-7236 sales@ddbunlimited.com www.ddbunlimited.com





File Location: (DDB) [EPDM Vau](:) C:\DDB\Drawing Requests\Customers\DDB WEB DWG\Bases\SOD-CB Family\SOD-CB24\