

SOD Series

SOD-302420

Why Choose the SOD Series?

The SOD-302420 enclosure is a top choice for outdoor equipment racking, offering unparalleled versatility. Constructed with our Alumiflex® material, it is notably lighter than steel yet strong enough to easily rack the heaviest equipment. The SOD series boasts easy installation for pad, pole, and wall mounting options allowing these boxes to install in any environment for any application. With standard features like a 3-point locking system, a venting system with a reusable filter, and a built-in solar cap to manage heat loads, the value quickly adds up. Adding to the flexibility, the SOD series is configurable to be used for indoor and outdoor applications and has an extensive list of available options, including climate controls, and electrical and cable entry solutions. All of this comes with the industry's best lead times, unmatched warranty, and competitive pricing. As expected, the DDB SOD series sets the mark as a design leader that is versatile and scalable to meet a wide array of situations. Contact our knowledgeable sales team for more information.



Features

- 15 Year Warranty
- 0.125" Aluminum Construction
- 3-Point Locking System
- Front Door Access
- Heavy Duty Out-Door Construction
- Stainless Steel External Hardware/Hinge
- Cream Powder-Coat, Standard
- Flexible and Scalable
- Quick Shipping

Weight and Dimensions

- Approximate Exterior Enclosure Dimensions:
32"H x 24"W x 24"D
- Shipping Dimensions:
42"L x 32"W x 40"H - Palletized
- Approximate Shipping Weight:
100 lbs.

Application Types

- Telecommunications
- Wireless/Broadband
- Fiber Optics
- Back Haul
- Small Cell/DAS
- Utility
- Base Station
- Military
- Trailer-Based Communications
- Wi-Fi
- LTEE/4G/5G



Environmental & Safety Ratings:

- ✓ NEMA 3R as shown; NEMA 4 and 4X configurable
(unlisted to environmental rating)
- ✓ UL listed 50/50E Available (not shown)

SOD Series

SOD-302420



Features

1. Solar Cap
2. Stainless Steel Door Hinge
3. Reusable Vent Filters
4. 3-Point Locking System
5. 0.125" Aluminum Construction
6. Powder-Coat Cream

Scan this code for
Accessories



2301 S. HWY 77 Pauls Valley, OK 73075





T: (405)-665-2876

sales@ddbunlimited.com www.ddbunlimited.com

DDb FORM 7.1-2 REV A (08/02/17)

A
B
C
D
E
F
G
H

8 7 6 5 4 3 2 1



3 POINT
PADLOCKING
HANDLE

LOUVERS AND
FILTER WITH
BRACKET

REVISIONS		
REV.	DESCRIPTION	DATE
A	WEB DRAWING PER DR-01382	4/26/16
B	UPDATED PER DR-02621	5/17/2021
L	UPDATED DRAWING TO MATCH PRODUCTION DRAWING	5/27/2022
M	UPDAED SHEET FORMATS AND REMOVED BOTTOM VIEW, ADDED EXTRA DIM ON SHEET TWO PER NEW DR-03253	8/27/2024


UNLESS OTHERWISE SPECIFIED:			
DIMENSIONS ARE IN INCHES			
ANGULAR	IN°		
DIAMETER, HOLE, OR CIRCULAR	Ø		
DIAMETER, HOLE, OR CIRCULAR	Ø		
THROUGH PUTTING	Ø		
THRU HOLE, RECTANGULAR	Ø		
ALL DIMENSIONS ARE IN INCHES			
MATERIAL: UNLESS OTHERWISE SPECIFIED			
PAINT: UNLESS OTHERWISE SPECIFIED			
DO NOT SCALE DRAWING			

DDb Unlimited Inc.			
SOD-302420			
REV	Code Code:	DWG. NO.:	REV
D	28515	01382	IM
SCALE: 1/8"		WEIGHT 42 lbs.	SHEET 1 OF 2

UNCLASSIFIED PUBLIC

File Location: (DDb) (EPDM Vault)
C:\DDb\DR Requests\Customers\DDb WEB DWG\SCD-XXXX\10D-302420\

DDB FORM: 7.1-2 REV:K 08/02/17



UNCLASSIFIED PUBLIC

File Location: (DD8)\EPDM Vault\:
C:\DD8\DR Requests\Customers\DD8 WEB DWG\SOD-XXXX\SOD-302420\