

OD Series

OD-16DXC



Why Choose the OD Series?

The OD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the OD series, you have handpicked the highest value in American construction. The OD-16DXC includes the standard features you have come to expect with DDB, incorporating the versatile rail strut (R-Strut) system for adjustable racking, the security of a 3- point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique need's customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.

Application Types

- Telecommunications
- Wireless/Broadband
 - Fiber Optics
 - Back Haul
- Small Cell/DAS
- Public Safety
- Utility
- Base Station
- Military
- Trailer-Based Communications
 - Wi-Fi
 - LTEE/4G/5G



Environmental & Safety Ratings:

- ✓ NEMA 3R (shown above)
- ✓ NEMA 4 and 4X configurable (not shown)
- ✓ OD-16 Series, ETL environmentally listed to UL 50/50E, Type 4's
Available here: <https://www.ddbunlimited.com/new-ul-50e-listed/>
- ✓ ETL listed; Safety Requirements, UL 62368-1:2019 Ed.3, CSA C22.2

2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236

sales@ddbunlimited.com www.ddbunlimited.com



Features

- 0.125" Aluminum Construction
- Stainless Steel External Hardware/Hinge
- 3 Point Lock System
- Heavy Duty Out-Door Construction
- Front and Rear Access
- Custom Colors Available
- Cream Powder-Coat standard color
- Flexible and Scalable
- 15 Year Warranty
- Quick Shipping

Weight and Dimensions

Approximate Exterior Enclosure Dimensions:

18"H x 28"W x 30"D

Shipping Dimensions:


32"W x 42"L - Palletized

Approximate Shipping Weight:

107 lbs.

OD Series

OD-16DXC



Features

1. Solar Shield (Alumishield)
2. 19" Adjustable Racking Rails, 7 RU's
3. Stainless steel door hinge
4. Rear Access Door
5. 3 Point Locking System
6. Powder-Coat Cream
7. Reusable Vent Filters



Installation, operating and
safety instructions can be
downloaded here




Scan this code for
replacement parts



2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236

sales@ddbunlimited.com www.ddbunlimited.com



DDB FORM 7.1-2 REV. A (08/02/17)


UNCLASSIFIED PUBLIC
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY
 REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		DDB Unlimited Inc.	
DIMENSIONS ARE IN INCHES		DR Closed	
FINISH	FINISH	DDB Family: Fasture, DS, ClosedX Closed	
WELDED JOINTS	1" MIN	REV	REV
DRILLING OPERATIONS	AS SHOWN	Code Code:	DWG. NO.:
DRILLING OPERATIONS	AS SHOWN	D	00419
DRILLING OPERATIONS	AS SHOWN	SCALE	1:32
DRILLING OPERATIONS	AS SHOWN	WEIGHT	
DRILLING OPERATIONS	AS SHOWN	SHEET 2 OF 3	

File Location: (DDB) EPDM Vault:
 C:\DDB\Drawing Requests\Customers\DDB WEB DWG\OD Family WEB\DR-00419 (OD-140X)\

8 7 6 5 4 3 2 1

H
G
F
E
D
C
B
A



BACK VIEW GASKET NOT SHOWN

8 7 6 5 4 3 2 1

UNLESS OTHERWISE SPECIFIED:			
DIMENSIONS ARE IN INCHES			
FINISH	1"		
DRILLING	1/16"		
DRILLING	1/8"		
DRILLING	1/4"		
DRILLING	3/8"		
DRILLING	1/2"		
DRILLING	5/8"		
DRILLING	3/4"		
DRILLING	7/8"		
DRILLING	1"		
DRILLING	1 1/8"		
DRILLING	1 1/4"		
DRILLING	1 3/8"		
DRILLING	1 1/2"		
DRILLING	1 3/4"		
DRILLING	1 7/8"		
DRILLING	2"		
DRILLING	2 1/8"		
DRILLING	2 1/4"		
DRILLING	2 3/8"		
DRILLING	2 1/2"		
DRILLING	2 3/4"		
DRILLING	2 7/8"		
DRILLING	3"		
DRILLING	3 1/8"		
DRILLING	3 1/4"		
DRILLING	3 3/8"		
DRILLING	3 1/2"		
DRILLING	3 3/4"		
DRILLING	3 7/8"		
DRILLING	4"		
DRILLING	4 1/8"		
DRILLING	4 1/4"		
DRILLING	4 3/8"		
DRILLING	4 1/2"		
DRILLING	4 3/4"		
DRILLING	4 7/8"		
DRILLING	5"		
DRILLING	5 1/8"		
DRILLING	5 1/4"		
DRILLING	5 3/8"		
DRILLING	5 1/2"		
DRILLING	5 3/4"		
DRILLING	5 7/8"		
DRILLING	6"		
DRILLING	6 1/8"		
DRILLING	6 1/4"		
DRILLING	6 3/8"		
DRILLING	6 1/2"		
DRILLING	6 3/4"		
DRILLING	6 7/8"		
DRILLING	7"		
DRILLING	7 1/8"		
DRILLING	7 1/4"		
DRILLING	7 3/8"		
DRILLING	7 1/2"		
DRILLING	7 3/4"		
DRILLING	7 7/8"		
DRILLING	8"		
DRILLING	8 1/8"		
DRILLING	8 1/4"		
DRILLING	8 3/8"		
DRILLING	8 1/2"		
DRILLING	8 3/4"		
DRILLING	8 7/8"		
DRILLING	9"		
DRILLING	9 1/8"		
DRILLING	9 1/4"		
DRILLING	9 3/8"		
DRILLING	9 1/2"		
DRILLING	9 3/4"		
DRILLING	9 7/8"		
DRILLING	10"		
DRILLING	10 1/8"		
DRILLING	10 1/4"		
DRILLING	10 3/8"		
DRILLING	10 1/2"		
DRILLING	10 3/4"		
DRILLING	10 7/8"		
DRILLING	11"		
DRILLING	11 1/8"		
DRILLING	11 1/4"		
DRILLING	11 3/8"		
DRILLING	11 1/2"		
DRILLING	11 3/4"		
DRILLING	11 7/8"		
DRILLING	12"		
DRILLING	12 1/8"		
DRILLING	12 1/4"		
DRILLING	12 3/8"		
DRILLING	12 1/2"		
DRILLING	12 3/4"		
DRILLING	12 7/8"		
DRILLING	13"		
DRILLING	13 1/8"		
DRILLING	13 1/4"		
DRILLING	13 3/8"		
DRILLING	13 1/2"		
DRILLING	13 3/4"		
DRILLING	13 7/8"		
DRILLING	14"		
DRILLING	14 1/8"		
DRILLING	14 1/4"		
DRILLING	14 3/8"		
DRILLING	14 1/2"		
DRILLING	14 3/4"		
DRILLING	14 7/8"		
DRILLING	15"		
DRILLING	15 1/8"		
DRILLING	15 1/4"		
DRILLING	15 3/8"		
DRILLING	15 1/2"		
DRILLING	15 3/4"		
DRILLING	15 7/8"		
DRILLING	16"		
DRILLING	16 1/8"		
DRILLING	16 1/4"		
DRILLING	16 3/8"		
DRILLING	16 1/2"		
DRILLING	16 3/4"		
DRILLING	16 7/8"		
DRILLING	17"		
DRILLING	17 1/8"		
DRILLING	17 1/4"		
DRILLING	17 3/8"		
DRILLING	17 1/2"		
DRILLING	17 3/4"		
DRILLING	17 7/8"		
DRILLING	18"		
DRILLING	18 1/8"		
DRILLING	18 1/4"		
DRILLING	18 3/8"		
DRILLING	18 1/2"		
DRILLING	18 3/4"		
DRILLING	18 7/8"		
DRILLING	19"		
DRILLING	19 1/8"		
DRILLING	19 1/4"		
DRILLING	19 3/8"		
DRILLING	19 1/2"		
DRILLING	19 3/4"		
DRILLING	19 7/8"		
DRILLING	20"		
DRILLING	20 1/8"		
DRILLING	20 1/4"		
DRILLING	20 3/8"		
DRILLING	20 1/2"		
DRILLING	20 3/4"		
DRILLING	20 7/8"		
DRILLING	21"		
DRILLING	21 1/8"		
DRILLING	21 1/4"		
DRILLING	21 3/8"		
DRILLING	21 1/2"		
DRILLING	21 3/4"		
DRILLING	21 7/8"		
DRILLING	22"		
DRILLING	22 1/8"		
DRILLING	22 1/4"		
DRILLING	22 3/8"		
DRILLING	22 1/2"		
DRILLING	22 3/4"		
DRILLING	22 7/8"		
DRILLING	23"		
DRILLING	23 1/8"		
DRILLING	23 1/4"		
DRILLING	23 3/8"		
DRILLING	23 1/2"		
DRILLING	23 3/4"		
DRILLING	23 7/8"		
DRILLING	24"		
DRILLING	24 1/8"		
DRILLING	24 1/4"		
DRILLING	24 3/8"		
DRILLING	24 1/2"		
DRILLING	24 3/4"		
DRILLING	24 7/8"		
DRILLING	25"		
DRILLING	25 1/8"		
DRILLING	25 1/4"		
DRILLING	25 3/8"		
DRILLING	25 1/2"		
DRILLING	25 3/4"		
DRILLING	25 7/8"		
DRILLING	26"		
DRILLING	26 1/8"		
DRILLING	26 1/4"		
DRILLING	26 3/8"		
DRILLING	26 1/2"		
DRILLING	26 3/4"		
DRILLING	26 7/8"		
DRILLING	27"		
DRILLING	27 1/8"		
DRILLING	27 1/4"		
DRILLING	27 3/8"		
DRILLING	27 1/2"		
DRILLING	27 3/4"		
DRILLING	27 7/8"		
DRILLING	28"		
DRILLING	28 1/8"		
DRILLING	28 1/4"		
DRILLING	28 3/8"		
DRILLING	28 1/2"		
DRILLING	28 3/4"		
DRILLING	28 7/8"		
DRILLING	29"		
DRILLING	29 1/8"		
DRILLING	29 1/4"		
DRILLING	29 3/8"		
DRILLING	29 1/2"		
DRILLING	29 3/4"		
DRILLING	29 7/8"		
DRILLING	30"		
DRILLING	30 1/8"		
DRILLING	30 1/4"		
DRILLING	30 3/8"		
DRILLING	30 1/2"		
DRILLING	30 3/4"		
DRILLING	30 7/8"		
DRILLING	31"		
DRILLING	31 1/8"		
DRILLING	31 1/4"		
DRILLING	31 3/8"		
DRILLING	31 1/2"		
DRILLING	31 3/4"		
DRILLING	31 7/8"		
DRILLING	32"		
DRILLING	32 1/8"		
DRILLING	32 1/4"		
DRILLING	32 3/8"		
DRILLING	32 1/2"		
DRILLING	32 3/4"		
DRILLING	32 7/8"		
DRILLING	33"		
DRILLING	33 1/8"		
DRILLING	33 1/4"		
DRILLING	33 3/8"		
DRILLING	33 1/2"		
DRILLING	33 3/4"		
DRILLING	33 7/8"		
DRILLING	34"		
DRILLING	34 1/8"		
DRILLING	34 1/4"		
DRILLING	34 3/8"		
DRILLING	34 1/2"		
DRILLING	34 3/4"		
DRILLING	34 7/8"		
DRILLING	35"		
DRILLING	35 1/8"		
DRILLING	35 1/4"		
DRILLING	35 3/8"		
DRILLING	35 1/2"		
DRILLING	35 3/4"		
DRILLING	35 7/8"		
DRILLING	36"		
DRILLING	36 1/8"		
DRILLING	36 1/4"		
DRILLING	36 3/8"		
DRILLING	36 1/2"		
DRILLING	36 3/4"		
DRILLING	36 7/8"		
DRILLING	37"		
DRILLING	37 1/8"		
DRILLING	37 1/4"		
DRILLING	37 3/8"		
DRILLING	37 1/2"		
DRILLING	37 3/4"		
DRILLING	37 7/8"		
DRILLING	38"		
DRILLING	38 1/8"		
DRILLING	38 1/4"		
DRILLING	38 3/8"		
DRILLING	38 1/2"		
DRILLING	38 3/4"		
DRILLING	38 7/8"		
DRILLING	39"		
DRILLING	39 1/8"		
DRILLING	39 1/4"		
DRILLING	39 3/8"		
DRILLING	39 1/2"		
DRILLING	39 3/4"		
DRILLING	39 7/8"		
DRILLING	40"		
DRILLING	40 1/8"		
DRILLING	40 1/4"		
DRILLING	40 3/8"		
DRILLING	40 1/2"		
DRILLING	40 3/4"		
DRILLING	40 7/8"		
DRILLING	41"		
DRILLING	41 1/8"		
DRILLING	41 1/4"		
DRILLING	41 3/8"		
DRILLING	41 1/2"		
DRILLING	41 3/4"		
DRILLING	41 7/8"		
DRILLING	42"		
DRILLING	42 1/8"		
DRILLING	42 1/4"		
DRILLING	42 3/8"		
DRILLING	42 1/2"		
DRILLING	42 3/4"		
DRILLING	42 7/8"		
DRILLING	43"		
DRILLING	43 1/8"		
DRILLING	43 1/4"		
DRILLING	43 3/8"		
DRILLING	43 1/2"		
DRILLING	43 3/4"		
DRILLING	43 7/8"		
DRILLING	44"		
DRILLING	44 1/8"		
DRILLING	44 1/4"		
DRILLING	44 3/8"		
DRILLING	44 1/2"		
DRILLING	44 3/4"		
DRILLING	44 7/8"		
DRILLING	45"		
DRILLING	45 1/8"		
DRILLING	45 1/4"		
DRILLING	45 3/8"		
DRILLING	45 1/2"		