



ISO 9001 & 27001
Certified company

OD Series

OD-78DDXC

Made in America



Believing in American
Craftsmanship



Why Choose the OD Series?

The OD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the OD series, you have handpicked the highest value in American construction. The OD-78DDXC includes the standard features you have come to expect with DDB, incorporating the versatile rail strut (R-Strut) system for adjustable racking, the security of a 3- point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique needs your customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.

Application Types

Telecommunications
Wireless/Broadband
Fiber Optics
Back Haul
Small Cell/DAS
Public Safety
Utility
Base Station
Military
Trailer-Based Communications
Wi-Fi
LTEE/4G/5G



Environmental & Safety Ratings:

- ✓ NEMA 3R, IP 24 (shown above)
- ✓ NEMA 4 and 4X, IP 66 configurable (not shown)
- ✓ OD-78 Series, ETL environmentally listed to UL 50/50E, Type 4's
Available here: <https://www.ddbunlimited.com/new-ul-50e-listed/>
- ✓ ETL listed; Safety Requirements, UL 62368-1:2019 Ed.3, CSA C22.2



Features

- 0.125" Aluminum Construction
- Stainless Steel External Hardware/Hinge
- 3 Point Lock System
- Heavy Duty Out-Door Construction
- Front and Rear Access
- Custom Colors Available
- Cream Powder-Coat in Stock
- Flexible and Scalable
- 15 Year Warranty
- Quick Shipping

Weight and Dimensions

Approximate Exterior Enclosure Dimensions:

79"H x 28"W x 47"D

Shipping Dimensions:

32"W x 52"L- Palletized

Approximate Shipping Weight:

268 lbs.

2301 S. HWY 77 Pauls Valley, OK 73075
T: (800) 753-8459 – F: (877) 220-7236

sales@ddbunlimited.com www.ddbunlimited.com

OD Series

OD-78DDXC

Features

1. Alumishield
2. Front and Rear 19" Adjustable Racking Rails, 84 RU's
3. Rear Access Door
4. Stainless Steel Door Hinge
5. 3 Point Locking System
6. Powder-Coat Cream
7. Reusable Vent Filters



Installation, operating and
safety instructions can be
downloaded here



Scan this code for
replacement parts




2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236


sales@ddbunlimited.com www.ddbunlimited.com

WEB DRAWING (NOT FOR FABRICATION)


REVISIONS		
REV.	DESCRIPTION	DATE
A	Web Drawing per DR-00425	11/15/2011
B	Add new components and DWG template to WEB DWG per DR-00928	5/12/2014
C	UPDATED TO 2019 FORMAT	3/5/2019
D	UPDATED DRAWING WITH DOOR RODS WITH ROLLERS PER DR-02264	4/17/2020




STANDOFFS STANDARD
FOR OPTIONAL LIGHTING
OVER EACH DOOR



CEILING LOUVERS
FRONT AND REAR RAIL
STANDARD ON DDX




R-STRUTS
FOR RAIL ADJUSTMENTS



3 POINT LOCKING
EACH DOOR

FILTERED LOUVERS




WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:			NAME			DATE			DDB Unlimited Inc.		
DESCRIPTION AND IN PHOTO			Model by:	DDH	11/15/2011	Model by:	DDH	11/15/2011	OD Family Endusers		
PARTS LIST			Drawn by:	Marcel	06/05/19	Drawn by:	Marcel	06/05/19	Enclosure, OD, 78, DDX		
Q.A. APPROVAL			Sales Rep:	Boys C	11/16/11	Sales Rep:	Boys C	11/16/11	SITE		
Q.A. APPROVAL			Q.A. Appr:	May	04/20/20	Q.A. Appr:	May	04/20/20	Cage Code:		
Q.A. APPROVAL			Prod. Mgr:	Chad	04/21/20	Prod. Mgr:	Chad	04/21/20	DWC NO.:		
Q.A. APPROVAL			DO NOT SCALE DRAWING			SCALE: 1:32			00434		
Q.A. APPROVAL			DO NOT SCALE DRAWING			SCALE: 1:32			D		
Q.A. APPROVAL			DO NOT SCALE DRAWING			SCALE: 1:32			D		

UNCLASSIFIED PUBLIC

File Location: (DDH) (PDM Vault)
C:\DDH\Drawing Requests\Customer\DDH WEB DWG\OD Family WEB\DR-00434 (OD-78DDH)

WEB DRAWING (NOT FOR FABRICATION)



TOP VIEW CEILING AND ALUMASHIELD NOT SHOWN


WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:		DDB Unlimited Inc.			
DIMENSIONS ARE IN INCHES		DDX Closed			
MATERIALS AND FINISHES		OD Family Enclosure, DDX, Closed			
DIMENSIONS ARE IN INCHES		SIZE	Cage Code:	DWG. NO.:	REV
DIMENSIONS ARE IN INCHES		D	28515	00434	D
DIMENSIONS ARE IN INCHES		SCALE: 1:32		SHEET 2 OF 3	
DIMENSIONS ARE IN INCHES		DO NOT SCALE DRAWING			

UNCLASSIFIED PUBLIC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

File Location: (DDP) (EPDM Vault)
C:\DDP\Drawing Requests\Customers\DDP WEB DWG\DDP Family WEB\DDP-00434 (DDP-78DDX)\

WEB DRAWING (NOT FOR FABRICATION)



BACK VIEW GASKET NOT SHOWN

WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:			
DDB Unlimited Inc.			
GD-78DDX			
Enduser: OD, 78, DEX			
SIZE	Code Code:	DWG. NO.:	REV
D	28515	00434	D
SCALE: 1:32 WEIGHT: SHEET 2 OF 3			

UNCLASSIFIED PUBLIC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

File Location: (DDB) (EPDM Vault): C:\DDB\Drawing Requests\Customers\DOB WEB DWG\OD Family WEB\DR-00434 (OD-78DDX)\