



An ISO 9001
Certified company

WOD Series

WOD-16DXC



Why Choose the WOD Series?

The WOD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the WOD series, you have handpicked the highest value in American construction. The WOD-16DXC includes the standard features you have come to expect with DDB, incorporating the versatile strut system for adjustable racking, the security of a 3-point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique needs your customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.



Features

- 0.125" Aluminum Construction
- Stainless Steel External Hardware/Hinge
- 3 Point Lock System
- Heavy Duty Out-Door Construction
- Front and Rear Access
- Custom Colors Available
- Cream & Red Powder-Coat in Stock
- Flexible and Scalable
- 15 Year Warranty
- Quick Shipping

Application Types

- Telecommunications
- Wireless/Broadband
- Fiber Optics
- Back Haul
- Small Cell/DAS
- Public Safety
- Utility
- Base Station
- Military
- Trailer-Based Communications
- Wi-Fi
- LTEE/4G/5G



Industry Standards:

- NEMA 3R as shown
- NEMA 4 and 4X configurable (unlisted to environmental rating)
- WOD Series Listed to UL 50/50E Type 4 Available**
- ETL listed to UL Standard 60950-1/CSA 22.2C

2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236

sales@ddbunlimited.com www.ddbunlimited.com

Weight and Dimensions

- Approximate Exterior Enclosure
- Dimensions: 18"H x 33"W x 30"D
- Shipping Dimensions:
- 42"D x 32"W – Palletized
- Approximate Shipping Weight:
- 130 lbs.

WOD Series

WOD-16DXC

Made in America



Believing in American
Craftsmanship



Features

1. Solar Shield (Alumishield)
2. 19" and 23" Reversible Racking Rails
3. Rear Access Door
4. Stainless Steel Door Hinge
5. 3 Point Locking System
6. Powder-Coat Cream
7. Reusable Vent Filters
8. Automatic Wind-Lock




2301 S. HWY 77 Pauls Valley, OK 73075

T: (800) 753-8459 – F: (877) 220-7236

sales@ddbunlimited.com www.ddbunlimited.com

WEB DRAWING (NOT FOR FABRICATION)

REVISIONS		
REV.	DESCRIPTION	DATE
A	Initial Web Drawing per DR-00134	6/10/2013
B	revise to incorporate new components and new drawing template pdr DR-00904	5/12/2014
C	UPDATED FORMAT PER DR-01937	3/12/2019
D	UPDATED DRAWING WITH DOOR RODS WITH ROLLERS PER DR-02265	4/21/2020



WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	DDB Unlimited Inc.			
DIMENSIONS ARE IN INCHES		Model by	DGB	WOD-XXXX			
PARTS LIST		Drawn by	seene	WOD, 16TH, DX			
FOR FABRICATION		Sales/Rep	on Campus	WOD-25.13			
FOR FABRICATION		Q/A Appr.	yes	14.2720			
FOR FABRICATION		Prod. Mgr.	ChadK	14.2820			
FOR FABRICATION		Control					
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							
FOR FABRICATION							

WEB DRAWING (NOT FOR FABRICATION)

4X $\phi \frac{5}{32}$ "
ETCHINGS

$\phi 26$
FLOOR ETCHINGS

20.74

18.75
RAIL FACE
TO RAIL FACE

$19\frac{1}{2}$ "
FLOOR
ETCHINGS

$29\frac{3}{4}$ "

$27\frac{3}{4}$ "
R-STRUT
TO R-STRUT

(2.27)

TOP VIEW
CEILING AND ALUMASHIELD NOT SHOWN


WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:				DDB Unlimited Inc.					
DIMENSIONS ARE IN INCHES				DX Closed					
ANGLE	1" 1/16"	Enclosure, Family, WOD DX Closed			S/E	Cage Code:	DWG. NO.:	REV	
DRILLING/ROUNDOFF	1/16"								
DRILLING/ROUNDOFF	1/16"								
DRILLING/ROUNDOFF	1/16"								
ALL HOLES PER DIM	2.0000								
MATERIAL: 6061AL2412" 125" 54343090				D					
PAINT: Diamond Vinyl Edge (Blue-Tinted) ET-430				SCALE: 1:8				38515	00134
DO NOT SCALE DRAWING									SHEET 2 OF 3

UNCLASSIFIED PUBLIC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

File Location: (DOB) (EPDM Vault)
C:\DOB\Drawing Request\A Customer\DOB WEB DWG\WOD Family WEB\DR-00134 (WOD-14DX

WEB DRAWING (NOT FOR FABRICATION)



**BACK VIEW
GASKET NOT SHOWN**

WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:		DDB Unlimited Inc. WOD-16DX WOD, 16", DX	
DIMENSIONS ARE IN POUNDS ANGULAR FRONTAL PLATE DECIMAL ONE PLACE DECIMAL TWO PLACE DECIMAL THREE PLACE DECIMAL ALL BOLTS PLATE	1" 10 1 1/2" 10 1 3/4" 10 2" 10 2 1/2" 10 3" 10	SIZE Cage Code: DWG. NO.: REV D 38515 00134 SCALE: 1:8 WEIGHT: SHEET 3 OF 3	
MATERIAL: 6061AL321N128" 125" 34" 309H PAINT: EPOXY/FLUOR POLYURETHANE/FLUOR POLYURETHANE/PT-4030			
DO NOT SCALE DRAWING.			

UNCLASSIFIED PUBLIC

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

File Location: (DD8)\EPDM Vault\:
C:\DD8\Drawing Requests\Customers\DD8 WEB DWG\WOD Family WEB\DR-00134 (WOD-16DX