DDB UNLIMITED®

An ISO 9001/27001 Certified company

WOD Series

WOD-30DDXC

Made in America

Believing in American Craftsmanship

15 YEAR WARRANTY

Why Choose the WOD Series?

The WOD series of enclosures are the ultimate choice for your outdoor racking requirements. Being made of our own rugged Alumiflex®, you'll find it noticeably lighter than steel, yet strong enough to rack even the heaviest equipment. When choosing the WOD series, you have handpicked the highest value in American construction. The WOD-30DDXC includes the standard features you have come to expect with DDB, incorporating the versatile strut system for adjustable racking, the security of a 3-point locking system and our patented Alumishield® solar cap to manage heat loads. For those who need more than just our standard enclosure, DDB can also make a truly customized solution with our many available options including HVAC, providing a climate-controlled environment for any electronic equipment, electrical load panels and cable entry solutions to name a few. All of this comes together to create an enclosure able to meet all of the unique needs your customers have been seeking. DDB offers a state-of-the-art design, a competitive price, benchmark lead times and a guaranteed delivery, all backed up with an industry leading 15-year warranty on every enclosure. Put DDB's substantial stock to work for you today. Contact our professional staff to assist you with your made-to-order solution.



Features

0.125" Aluminum Construction

Stainless Steel External Hardware/Hinge

3 Point Lock System

Heavy Duty Out-Door Construction

Front and Rear Access

Custom Colors Available

Cream Powder Coat in Stock

Flexible and Scalable

15 Year Warranty

Quick Shipping

Application Types

Telecommunications
Wireless/Broadband
Fiber Optics
Back Haul
Small Cell/DAS
Public Safety
Utility
Base Station
Military
Trailer-Based Communications
Wi-Fi
LTEE/4G/5G



Industry Standards:

NEMA 3R as shown

NEMA 4 and 4X configurable (unlisted to environmental rating)

WOD Series Listed to UL 50/50E Type 4 Available

ETL listed to UL Standard 60950-1/CSA 22.2C

Weight and Dimensions

Approximate Exterior Enclosure Dimensions:

32"H x 33"W x 47"D

Shipping Dimensions:

52"D x 42"W - Palletized

Approximate Shipping Weight:

194 lbs.

2301 S. HWY 77 Pauls Valley, OK 73075
T: (800) 753-8459 – F: (877) 220-7236
sales@ddbunlimited.com www.ddbunlimited.com

An ISO 9001/27001 Certified company


WOD Series

WOD-30DDXC

Made in America

Believing in American Craftsmanship

15 YEAR WARRANTY




Features

1. Solar Shield (Alumishield)
2. Front and Rear 19” and 23” Reversable Racking Rails
3. Rear Access Door
4. Stainless Steel Door Hinge
5. 3 Point Locking System
6. Powder-Coat Cream
7. Reusable Vent Filters


2301 S. HWY 77 Pauls Valley, OK 73075
T: (800) 753-8459 – F: (877) 220-7236
sales@ddbunlimited.com www.ddbunlimited.com

WEB DRAWING (NOT FOR FABRICATION)


REVISIONS		
REV.	DESCRIPTION	DATE
A	Initial Web Drawing per DR-00134	6/10/2013
B	Revise to incorporate new components and new drawing template pdr DR-00909	5/13/2014
C	UPDATED DRAWING TO NEW FORMAT PER DR-01941	4/10/2019
D	UPDATED WEB DRAWING WITH DOOR RODS WITH ROLLERS PER DR-02270	4/24/2020




TOP




STANDOFFS ARE STANDARD FOR OPTIONAL LIGHTING OVER EACH DOOR FRONT AND REAR





FRONT



RIGHT SIDE

WEB DRAWING (NOT FOR FABRICATION)


UNLESS OTHERWISE SPECIFIED:		NAME	DATE	DDB Unlimited Inc.			
DIMENSIONS ARE IN INCHES	Modeled by:	DDB	5/14/2014	WOD-XXXX			
ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	Drawn by:	aerose	04/10/19	WOD, 30"H, DDX			
ALL EDGES BREAK MATERIAL THICKNESS 0.125"	Sales.Rep.	Bryan C	6/25/2013	SIZE	Cage Code:	DWG. NO.:	REV
	Q.A. Appr.	tony	04/27/20	D	3S5Y5	00271	D
MATERIAL: 5052-H32/0.125" ASTM-B209M	Prod.Mgr.	ClarkK	04/28/20				
PAINT: Textured Sand Beige Gloss Texture Coat							
DO NOT SCALE DRAWING	Control Number:			SCALE: 1:12	WEIGHT: 149 lbs.	SHEET 1 OF 3	

DDB FORM: 7.1-2 REV:F 05/02/19

UNCLASSIFIED PUBLIC

File Location: (DDB)\PDM Vault:\
C:\DDB\Drawing Requests\Customers\DDB WEB DWG\WOD Family WEB\DR-00271 (WOD-30DDX WEB)\

WEB DRAWING (NOT FOR FABRICATION)



TOP VIEW
CEILING AND ALUMASHIELD NOT SHOWN

DDB FORM 7.1-REV.K 08/02/17


WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:	DDB Unlimited Inc.		
DIMENSIONS ARE IN INCHES ANGULAR: FRACTIONAL/NO DECIMAL: TWO PLACE DECIMAL: TWO PLACE DECIMAL: THREE PLACE DECIMAL: ALL EDGES ⌀100MM	DDX Closed Enclosure, Family, WOD DDX Closed		
	SIZE: D	Cage Code: 38SY5	DWG. NO.: 00271 REV: D
MATERIAL: 5052-H32XXX.125" ASTM-B209M4			
PAINT: Diamond Vogel, Beige Gloss Texture FT-4320	SCALE: 1:12	WEIGHT:	SHEET 2 OF 3
DO NOT SCALE DRAWING			

UNCLASSIFIED PUBLIC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

File Location: (DDB)(EPDM Vault:)
C:\DDB\Drawing Requests\Customers\DDB WEB DWG\WOD Family WEB\DR-00271 (WOD-

WEB DRAWING (NOT FOR FABRICATION)



BACK VIEW
GASKET NOT SHOWN

WEB DRAWING (NOT FOR FABRICATION)

UNLESS OTHERWISE SPECIFIED:	*DDB Unlimited Inc.*			
DIMENSIONS ARE IN INCHES ANGULAR: ±1° FRACTIONAL/NO DECIMAL: ±0.125 TWO PLACE DECIMAL: ±0.010 THREE PLACE DECIMAL: ±0.005 ALL EDGES #180SB	WOD-30DDX WOD, 30"H, DDXWOD-30DDX			
	SIZE	Cage Code:	DWG. NO.:	REV
MATERIAL: 5052-H32XR.125" ASTM-B209M4	D	385Y5	00271	D
PAINT: Diamond Vogel, Beige Gloss Texture FT-4320	SCALE: 1:12	WEIGHT:		SHEET 3 OF 3
DO NOT SCALE DRAWING				

DDB FORM 7.1-REV.K 08/02/17

UNCLASSIFIED PUBLIC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DDB Unlimited, INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DDB Unlimited, INC. IS PROHIBITED.

File Location: (DDB)(EPDM Vault:)
C:\DDB\Drawing Requests\Customers\DDB WEB DWG\WOD Family WEB\DR-00271 (WOD-